


pink
yellow



756a

PLANTARUM
SELECTARUM
ICONES
PICTAE
EDITÆ

NICOLAO MEERBURG.

MORTUO IN ACADEMIA
SUOBURGO SATATA



LONDINI EDITUM
AB ANNO J. MEERBURG,
MDCCLXXIII

THE UNIVERSITY OF CHICAGO

DEPARTMENT OF THE HISTORY OF ARTS

1954-55

CHICAGO, ILL.

ADMISSIONS OFFICE

CHICAGO, ILL.





PRÆFATIO.

Iuligne profecto incrementum accepit Hiberni plantarum, & multa plura vegetabilia sacro regno, postquam Botanici, curam quæ huc ubique tantum, sed non tantum observationi committuntur, sed & eas plantas, quas vel plures non vel non ita bene depicere præcedentes, ad ipsam usum delibari curant.

Hinc nihilino scopo ut aliquid rei contribuerent, ante aliquot annos quinquaginta & quinque tabulas in lucem emisi, quibus plures rarioræ hinc rarius delineati, vtriusque coloribus depicti.

Ab eo tempore non desisti ego, quas sibi mihi obtulerunt, delineare & in ea incidere, & quas præcedentes non plures fuisse rejectas, hæc, desini ob rationes, in lucem emittitur decrevi.

Con-

P R A E F A T I O.

Continentur hoc fasciculo non paucæ plantæ: Cor-
neti Caruleæ, Ilex Castifolia, Ilex Quercifolia, An-
tra Glauci, Antra Lucida, Antra Rubra, Compe-
nala Honorata, Lonicera Cornuta, Lonicera Glauca,
Rhus Purpurea, Oenothera Rubra, Vaccinium Givum,
Lycium Laurifolium, Kalmia Glauca, Andromeda Hab-
ruma, Aristælocha Grandiflora, Andromeda Myrtifolia,
Andromeda Elegans, Agrostis Baccata, quæ necro
hæretur, quantum eisdem scio, delineavit; necnon
ita, quantum scire, que præsto sunt, minus placent.

Insuperque alia, si hæc laborum non plane inutili-
um præterit.



P L A N.

PLANTARUM
 SELECTARUM
 ICONES
 PICTAE



TAB. I.

CORNUS CERICEA.

CORNUS *Scribn.*, arborosa, cymis natis, foliis sub-
 ovatis serratis, *Linnaei Menst.* pag. 179. Exclaud. Fluo-
 rali natis, corymbo natis albo callosis,
 Ramis longioribus, punctis sibiriacis corymbis ellipti-
 cis, quibus Cornus alba definitur. *Murray, Syl. Flo-
 rosol.* pag. 159.

TAB. II.

CORNUS ALBA.

CORNUS *Mill.*, arborosa, cymis natis, ramis recur-
 vatis, *Murray, Syl.* pag. 179.

A

Cornus

Cornu sanguineo non facile et exacte erit: distinguitur
tamen ceteris vitiis masculinis, bacis albis, multi-
foliis, juxta radicem crassi, procreant.

TAB. III.

CORNUS COERULEA.

CORNUS Coerulea, arborea, foliis ovatis lobis pal-
lido-virescentibus, Bacis caeruleis.

Fructus albus, ramis sanguineis. Multi foliis juxta ra-
dicem caeruleis.

Hic species facile distinguitur.

TAB. IV.

ILEX CRASSIFOLIA.

ILEX Crassifolia, foliis obovatis, emarginatis, vix
spinosis.

TAB. V.

ILEX QUERCIFOLIA.

ILEX Quercifolia, foliis oblongis, serratis, spinosis,
utrinque glabris, floribus pedunculatis.

TAB. VI.

AZALEA GLAUCA.

AZALEA Glauca, foliis ovatis, laciniatis, floribus
albis, ramis vix caulis longioribus.

TAB. VII.

TAB. VII.

AZALEA LUCIDA.

AZALEA *Lucida*, foliis lanceolatis, flore lacteo, pè
talo, filamentis brevioribus.

Œ-Linnæus hæc delinçipit pro Azalea molliflora.
Similiter folia hæc Anagyris.

TAB. VIII.

AZALEA RUBRA.

AZALEA *Rubra*, foliis ovatis, lanceolatis, acutispi-
tatis, filamentis longioribus.

TAB. IX.

AZALEA VISCOSA.

AZALEA *Viscosa*, foliis ovatis, serratis, costula pi-
talis, glabris. Murray, pag. 178.

Varia breviora.

TAB. X.

CAMPANULA HORTENSIS.

CAMPANULA *Hortensis*, foliis orbiculatis ovatis,
caulibus lanceolatis.

Magnitudine differt à Campanula Rapunculæ flore mi-
nore pallide corollæ.

TAB XI

LONICERA CONNATA.

LONICERA Connata, foliis ovatis, lanceolatis, serratis
glauca.

Sunt item Lonicerae Scirpervivana, sed hoc duplo ma-
ior est.

TAB XII.

LONICERA GLAUCA.

LONICERA Glauca, foliis venulatis: folia pro-
fo. non crevitae glauca.

TAB XIII.

DATURA TATULA.

DATURA Tatula, pericarpis spicatis, erectis, ovatis,
foliis cordatis, glabris, densatis. *Herbar.*, pag 220.

Sunt una Datura Stramonium, sed duplo major. Caulis
purpurascens, punctis albis adspersus, ad angulum tenui-
tatis distinctus, laevis. Corolla pallide carminea. Fo-
lia superiora densata, et complanata, emittata.

TAB XIV.

RHUS PUMILA.

RHUS Pumila, foliis ovatis pericarpis lanceo-lanceo-
latis.

TAB XV.

TAB. XV.

LINUM VIRGINIANUM.

LINUM *Virginianum*, calycibus acris albis, capsulis
 In matribus, pinnatis foliis. foliis alternis, lanceo-
 latis, apicalibus ovatis, Murray, pag 203.
 Caulis filiformis, pubescens, proscissus: folia sessilia
 ovata integerrima, laeva: caulibus strictis, hirsuto-
 ris: floribus strictis, pedunculis brevissimis, calycibus acu-
 tis: capsulis glabris, matrem: corollis laevibus.

TAB. XVI.

CRASSULA RETROFLEXA.

CRASSULA *Retroflexa*, foliis cernatis, ovatis, re-
 motis, planis, caulis simplicis, cymis compositis, pe-
 diculis striatis.
 Habitat in Capis Bonis Spei. Thunberg. *Linnæi*,
Aggl. Flor. pag 146.

TAB. XVII.

OENOTHERA ROSEA.

OENOTHERA *Rosea*, foliis alternis, hirsutis, den-
 tatis-fimbriatis, strictis: floribus rotundis, foliosis.
 Corollis parvis quatuor rotis.

TAB. XVIII.

VACCINIUM GILVUM.

VACCINIUM *Gilvum*, pedunculis multifloris, longis-
 simis, pubescentibus, racemis strictis, foliis ovatis,
 serratis.

B

Fru

Fructus hypodermis. Semellanti hincum Cum Melpis An-
haciter

TAB. XIX

SOPHORA TETRAPTERA.

SOPHORA Tetraptera, fructu parvo, foliis serratis,
obovatis, emarginatis, leguminibus strigosis,
sejulis meridionalibus.

Habitat in nova Zelanda. B. D. Spartzii H. U.
Arborescens glabra.

Fructus parva, fere capsiformis

Flor. magnum hincum.

Legumen compressum, orbiculatum, deorsu & vixit pla-
nata, laevibus membranis longicaulis carnosum,
ut in Loto tetragonocoba. *Linnæi, Suppl. Plant. pag. 210.*

TAB. XX.

LEDUM LATIFOLIUM.

LEDUM Latifolium, caulis paucibus densis villosis,
foliis latioribus & brevioribus.

Floribus raris infimis. Stamina saepe tantum 3 vel 4
totum in nostro specimen longiora, non ergo diffe-
rentia in foliis villosis sit.

TAB. XXI.

KALMIA GLAUCA.

KALMIA Glauca, foliis lanceolatis, flosculis glaucis

TAB. XXII

RHODODENDRON PONTICUM.

RHODODENDRON *Pan. rar.*, foliis ovatis lanceolatis, ut supra p. 4, 708, racemis terminalibus. *Alleg. p. 47.*

Folia Ficus Iucroculi, petioloibus, acuta, pinnate brevibus, glabris: Racemis terminalibus, longitudine pedicelorum foliorum; pedicellis alternis, tunc 4 alijce oppositis. Corolla campanulata, magis rotunda Nodis, purpurea. Stamina declinata, angustiora corolla.

TAB. XXIII

RHODORA CANADENSIS.

RHODORA *Canadens.* Frons erigenda, foliis alternis, lanceolatis, fructibus capitis, angulatis, pedicellis oppositis laciniatis, maculatis.

TAB. XXIV.

ANDROMEDA HAINLIANA.

ANDROMEDA *Hainiana.* Frons bipedalis, foeta Imperpetrabilis, statura, flosis, acuminatis, foliis ovatis.

Habituus hinc speciosus duo in Americae Vir. Clia. Haina, olim in Academia Virg. Clia, Philosophia, Monacho, Botanicis, Clia in Academia Legatione Nova Mexicana & Clia Proficium.

TAB. XXV

ANDROMEDA GRANDIFLORA.

ANDROMEDA *Grandiflora*. Frutex topedala, foliis ovatis serratis.

TAB. XXVI

ANDROMEDA MYRTIFOLIA.

ANDROMEDA *Myrtifolia*. Frutex topedala, foliis alternis, lanceolatis, acuminatis, serratis subaequalibus. Similiter Myrica Laccifolia.

TAB. XXVII

ANDROMEDA ELEGANS.

ANDROMEDA *Elegans*, pedunculata sparsis, fraxinea, foliis ovatis cordatis cuneatis: foliis alternis, ovatis, serratis.

TAB. XXVIII

AGROSTEMA BANKSIA.

AGROSTEMA *Banksia*, foliis perfoliatis, lanceolatis, serratis, floribus axillaribus.



V.
NDIFLORA.
urex bipedalis, foliis

TIFOLIA.
bipedalis, foliis al-
ribus rubris.

ANS.
spicatis, secun-
foliis alternis,

KSIA.
foliatis, lanceola-

T. 1.



Cornus sericea.

J.P. Ait. del. J. G. Smith sculp.



T. 2.



Cornus alba.

N. Meerburgh. fec.

[The page contains extremely faint and illegible text, likely bleed-through from the reverse side of the paper. The text is too light to transcribe accurately.]

T. 3.



N. P. Meerbürgel. fec.

Cornus coerulea.



T. 4.



Flex crassifolia.

N. Moorburgh. fec.





Ilex guercifolia.

J. L. Woodward sculp.



T. 6.



Azalea glauca

W. Moench fecit.



T. 7.



Azalea Lucida.

N. Meerburgh fec.



T. 0.



Azalea Rubra.

N. Meerburch fec.





Azalea viscosa.

A. P. Herbarioph. fec.



l. 10



Campanula hortensis



W. H. K. Hortensis. 10.



N. 11.



Lonicera Connata

W. Merbairg fecit



N. 12.



Lonicera glauca

J. P. Aitken del.





N. 13.

Datura Tatula

N. P. Marshall sculp.




T. 14.



Rhus pumila

N. P. Meerbirgh. fec.





Linum Virginianum

D. P. Meerburch. fec.





Craspedia retroflera.



Herb. Jacq. f.



T. 17.



Ceanothus Rosea.

D. P. Meerburgh. fec.

[The page contains extremely faint and illegible text, likely bleed-through from the reverse side of the document. No specific content can be transcribed.]

T. 12.



Vaccinium ciliatum.

W. Marshall. sc.



Tab. 20.



Sophora tetraptera

J. P. Merbino. fec.

100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200

T. 20.



Ledum Latifolia

A. P. Marshall. fecit.



T. 21.



Thalmia glauca.

W. Moorburgh. fec.

10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

T. 22.



Rhododendron ponticum

N. P. Moorhouse. Sc.



Fig. 23.



Rhodora Canadensis.

N. Morison Sc.



Tab. 24.



Andromeda hahniana.

N. Meuburg. fec.

[The page contains extremely faint and illegible text, likely bleed-through from the reverse side of the document. The text is too light to be transcribed accurately.]

Fig. 25.



Andromeda Grandiflora.

W. Marshall Sc.


[The page contains extremely faint and illegible text, likely bleed-through from the reverse side of the document. The text is too light to transcribe accurately.]

Fig. 26.



Andromeda Myrtifolia.

Andromeda



Faint text or markings at the bottom right corner, possibly a page number or a small note.



T. 27.

Andromeda Elegans.

J. P. Harburg. sc.



Tab. 28.



Agrostemma Banksia

D. Hauberg. sc.











Spine



Fore



Top



Foot



